

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: *CLICK PRO***kind of formulation:** *Flowable (SC)***Article number:** *Not applicable***Use herbicide****Registration number REACH** *Not applicable.***UFI:** *4V6C-K4YX-N00G-08NK***1.2 Relevant identified uses of the substance or mixture and uses advised against** *Relevant use: Agriculture.***Application of the substance / the mixture** *Agricultural chemicals*

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:*SIPCAM OXON S.p.A. - Registered Office: Via Carroccio, 8 - 20123 Milano - Italy**Production Site: Via Vittorio Veneto, 81 - 26857 Salerano sul Lambro (LO) - Italy**TEL.: +39 0371 5961*

1.4 Emergency telephone number:

*Emergency phone: +39 02 353781 (8.00-17.00)**For any questions regarding this MSDS please contact:**msds@sipcam.com**Refer to section 16 for Poison Centres.*

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008

*health hazard**Repr. 2 H361d Suspected of damaging the unborn child.**STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.**environment**Aquatic Acute 1 H400 Very toxic to aquatic life.**Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.**Acute Tox. 4 H302 Harmful if swallowed.*

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008*The product is classified and labelled according to the CLP regulation.***Hazard pictograms***GHS07**GHS08**GHS09***Signal word** *Warning***Hazard-determining components of labelling:***Terbutylazine***Hazard statements***H302 Harmful if swallowed.**H361d Suspected of damaging the unborn child.**H373 May cause damage to organs through prolonged or repeated exposure.**H410 Very toxic to aquatic life with long lasting effects.***Precautionary statements***P201 Obtain special instructions before use.*

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: **CLICK PRO**

(Contd. of page 1)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 Wash hands thoroughly after handling.
 P273 Avoid release to the environment.
 P280 Wear protective gloves / protective clothing.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P391 Collect spillage.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

SP1 Do not contaminate water with the product or its container.
 EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable**vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

3.2 Mixtures**Description:** Mixture of the substances listed below with harmless additions:**Dangerous components:**

N° CAS	Designation	R-Phrases	%
CAS: 5915-41-3 EINECS: 227-637-9 Index number: 613-323-00-2	Terbutylazine ⚠ STOT RE 2, H373; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); ⚠ Acute Tox. 4, H302		29.1%
CAS: 68439-49-6 NLP: 500-212-8	Alcohols, C16-18, ethoxylated ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302		≥3-<10%
CAS: 104206-82-8 Index number: 609-064-00-X	mesotrione ⚠ Repr. 2, H361d; STOT RE 2, H373; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)		4.5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302; ⚠ Skin Irrit. 2, H315; ⚠ Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %		<0.05%

Additional information

For the wording of the listed hazard phrases refer to section 16.

Index Number:

Terbutylazine: 613-323-00-2

Mesotrione: 609-064-00-X

1,2-benzisothiazol-3(2H)-one: 613-088-00-6

SECTION 4: First aid measures

4.1 Description of first aid measures**General information**

Show this safety data sheet to the doctor.

Personal protection for the First Aider.

Wash contaminated clothes after use.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water, until symptoms disappear, and then with ophthalmic decongestant solution; seek medical attention. Take immediately to hospital, in case of severe injuries.

After swallowing

Call a doctor immediately.

Rinse out mouth without swallowing, do not induce vomiting.

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: CLICK PRO

(Contd. of page 2)

Information for doctor Patient needs medical supervision for 48 h.**4.2 Most important symptoms and effects, both acute and delayed**

Irritation of skin and eyes.

Ataxia, dyspnoea, headache, lethargy, tremors.

Gastric or intestinal troubles

4.3 Indication of any immediate medical attention and special treatment needed

Seek the advice of a Poison Control Centre

Treat symptomatically and supportively

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents**

Carbon dioxide

Water haze

Dry chemical

Alcohol-resistant foam

For safety reasons unsuitable extinguishing agents Avoid full water jet.**5.2 Special hazards arising from the substance or mixture**

Can be released in case of fire:

Nitrogen oxides (NO_x)Carbon Oxides (CO_x)**5.3 Advice for firefighters****Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Put on breathing apparatus.

Ensure adequate ventilation

Wear protective clothing.

Bring people out of danger.

6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable containers.

Dispose of contaminated material as waste according to Section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

The usual precautionary measures for handling chemicals shall be observed.

Wear personal protective equipments (PPE).

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.**Handling** Avoid direct or indirect contact with the product. Do not eat, drink or smoke while working.**7.2 Conditions for safe storage, including any incompatibilities****Storage**

Store in a cool and ventilated place, away from heat source and direct sunlight without open sewage system.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: CLICK PRO

(Contd. of page 3)

Keep out the reach of children, unauthorized persons and animals. Keep away from food, drink and animal feedingstuffs.

Requirements to be met by storerooms and containers: Store only in the original container.

Information about storage in one common storage facility:

Prevent storage with incompatible materials (see chapter 10).

Store away from foodstuffs.

Further information about storage conditions:

Store under dry conditions.

Store in a locked cabinet and out of the reach of children.

Shelf life: 24 months.

Storage class 10

7.3 Specific end use(s)

Agriculture

To be applied strictly for the uses described in the label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs No further information available.

PNECs No further information available.

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering controls Provide a proper ventilation, especially for indoor workplaces.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals shall be observed.

Avoid contact with the eyes and skin.

Wash hands during breaks and at the end of the work.

Do not eat, drink or smoke while working.

Breathing equipment:

Use breathing protection in case of insufficient ventilation (according to applicable European Standard).

Hand protection



Protective gloves against chemicals and micro-organisms in accordance with EN 374

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Nitrile rubber, NBR

Eye/face protection



Tightly sealed safety glasses in accordance with EN 166.

Body protection: Wear overalls / workwear when mixing / loading the product and during application

Boots Safety footwear for professional use in accordance with EN 345.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:

Whitish

Odour:

Characteristic

Melting point/freezing point:

Not determined

Flammability

Not applicable.

Flash point:

>100 °C

Decomposition temperature:

Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: **CLICK PRO**

(Contd. of page 4)

pH	Not determined.
pH value (1% in distilled water)	3.5
pH (undiluted sample)	
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	245-350 mPas
Solubility	
Water:	miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 25 °C	1.1 g/mL
Relative density	Not determined.
Vapour density	Not determined.

9.2 Other information	Surface tension 35.4 mN/m at 20 °C (EEC A5)
Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Not determined
Explosive properties:	Product is not explosive.
Change in condition	
Softening point/range	
Oxidising properties	Not an oxidiser

Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity The product is not reactive under recommended handling conditions.

10.2 Chemical stability Stable under the recommended handling and storage conditions (see section 7).

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions are known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Thermal decomposition products may include:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

GB
(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: **CLICK PRO**

(Contd. of page 5)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

LD/LC50 values that are relevant for classification:

Oral	LD50	310 mg/kg (rat female)
Dermal	LD50	>2,000 mg/kg (rat)

CAS: 5915-41-3 Terbutylazine

Oral	LD50	1,590 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50 (4 h)	>5.3 mg/L (rat)

CAS: 104206-82-8 mesotrione

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50 (4 h)	mg/L (rat) > 5 mg/l

NOEL (no observable effect level)

CAS: 5915-41-3 Terbutylazine

Oral	NOAEL	0.4 mg/kg bw/d (dog) (1y) 0.35 mg/kg bw/d (rat) (2y) No carcinogenic effects relevant to humans
	NOAEL (90d)	2.1 mg/kg bw/day (rat) Bodyweight and food consumption effects.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Skin corrosion / irritation - Test

Irritation of skin	Skin corrosion	(rabbit) Not irritating
--------------------	----------------	----------------------------

CAS: 104206-82-8 mesotrione

Irritation of skin	Skin corrosion	(rabbit) Non irritante
--------------------	----------------	---------------------------

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Serious eye damage / Irritation - Test

Irritation of eyes	Eye Irritation	(rabbit) Not irritating
--------------------	----------------	----------------------------

CAS: 104206-82-8 mesotrione

Irritation of eyes	Eye Irritation	(rabbit) Non irritante
--------------------	----------------	---------------------------

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Sensitisation - Test

Sensitization	(guinea pig) (Buehler Test) Not sensitizing
---------------	--

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Other information: For symptoms and effects see section 4.

Additional toxicological information:

Acute effects (acute toxicity, irritation and corrosivity) No further information available.

CMR effects (cancerogenity, mutagenicity and toxicity for reproduction) No relevant information available.

(Contd. on page 7)

Safety data sheet
 according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: **CLICK PRO**

(Contd. of page 6)

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity** Very toxic to aquatic life with long lasting effects.**Aquatic toxicity:**

LC50 (96h)	6.7 mg/L (rainbow trout (<i>oncorhynchus mykiss</i>))
EC50 (48h)	53 mg/L (<i>Daphnia magna</i>)
ErC50 (72h)	0.087 mg/L (algae <i>Pseudokirchneriella subcapitata</i>)
EC50 (7d)	0.114 mg/L (<i>lemna gibba</i>)
NOEC	0.0039 mg/L (algae <i>Pseudokirchneriella subcapitata</i>) (72 h)
	0.063 mg/L (<i>lemna gibba</i>) (7d)

CAS: 5915-41-3 Terbutylazine

EC50 (72h)	0.028 mg/L (algae <i>Pseudokirchneriella subcapitata</i>)
LC50 (96h)	2.2 mg/L (rainbow trout (<i>oncorhynchus mykiss</i>))
ErC50 (72h)	0.028 mg/L (algae <i>Pseudokirchneriella subcapitata</i>)
EC50	0.412 mg/L (<i>lemna gibba</i>) (14 d - ErC50)
NOEC	0.09 mg/L (rainbow trout (<i>oncorhynchus mykiss</i>)) (21d)

CAS: 104206-82-8 mesotrione

LC50 (96h)	>120 mg/L (bluegill sunfish (<i>Lepomis macrochirus</i>))
	>120 mg/L (rainbow trout (<i>oncorhynchus mykiss</i>))
EC50 (48h)	900 mg/L (<i>Daphnia magna</i>)
ErC50 (72h)	0.87 mg/L (algae <i>Pseudokirchneriella subcapitata</i>)
EC50	0.022 mg/L (<i>lemna gibba</i>) (14d)
NOEC	0.18 mg/L (algae <i>Pseudokirchneriella subcapitata</i>) (72h)
	180 mg/L (<i>Daphnia magna</i>) (21 d)
	0.008 mg/L (<i>lemna gibba</i>) (14 d)
	12.5 mg/L (<i>pimephales promelas</i>) (36 d)

Environmental toxicity**CAS: 5915-41-3 Terbutylazine**

Oral	LD 50	1,236 mg/kg bw (<i>Colinus virginianus</i>)
		>141.7 mg/kg bw (earthworms, <i>Eisenia foetida</i>) (14 d)
	LD 50	>22.6 µg/bee (bee (<i>Apis mellifera</i>))
Dermal	LD 50	>32 µg/bee (bee (<i>Apis mellifera</i>))

12.2 Persistence and degradability No further relevant information available.**12.3 Bioaccumulative potential****CAS: 5915-41-3 Terbutylazine**

Octanol / Water partition coefficient	3.4 (partition n-octanol/water) (20 °C)
BCF - Bioconcentration factor	34

CAS: 104206-82-8 mesotrione

Octanol / Water partition coefficient	3.4 (25°C)
---------------------------------------	------------

12.4 Mobility in soil**CAS: 5915-41-3 Terbutylazine**

Koc	231 ml/g
	medium mobility

12.5 Results of PBT and vPvB assessment**PBT:** None of the ingredients meets the classification requirements.**vPvB:** None of the ingredients meets the classification requirements.**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.**12.7 Other adverse effects** No further relevant information available.**Remark:** Very toxic for fish

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: CLICK PRO

(Contd. of page 7)

DT 50 (active ingredient)
CAS: 5915-41-3 Terbutylazine

 DT 50 72 days (soil)
 medium to high persistence

CAS: 104206-82-8 mesotrione

 DT 50 6-105 days (soil)
 Not persistent
 >30 days (water) (25°C)
 Persistent

Additional ecological information:
General notes:

 Do not allow product to reach ground water, water bodies or sewage system.
 Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

13.1 Waste treatment methods


Disposal according to national regulations.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings: Dispose empty packagings according to current regulations.

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number
ADR/RID/ADN, IMDG, IATA

UN3082

14.2 UN proper shipping name
ADR/RID/ADN

 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (Terbutylazine)
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Terbutylazine), MARINE POLLUTANT
IMDG
IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Terbutylazine)

14.3 Transport hazard class(es)
ADR/RID/ADN

Class 9 (M6) Miscellaneous dangerous substances and articles.
Label 9

IMDG, IATA

Class 9 Miscellaneous dangerous substances and articles.
Label 9

14.4 Packing group
ADR/RID/ADN, IMDG, IATA

III

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: **CLICK PRO**

(Contd. of page 8)

14.5 Environmental hazards:

Marine pollutant: Yes
 Symbol (fish and tree)

Special marking (ADR/RID/ADN): Symbol (fish and tree)

Special marking (IATA): Symbol (fish and tree)

14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

Kemler Number: 90

EMS Number: F-A,S-F

Stowage Category A

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information:

ADR/RID/ADN

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

Transport category 3

Tunnel restriction code E

Remarks: Transport in Limited Quantities only in suitable packaging.
 ADR Special Provision 375 may apply for UN 3077 in packagings of 5 kg or less and for UN3082 in packagings of 5 L or less.

IMDG

Remarks: IMDG Code 2.10.2.7 may apply for UN 3077 in packagings of 5 kg or less and for UN3082 in packagings of 5 L or less.

IATA

Remarks: For UN 3077 in packagings of 5 kg or less and UN3082 in packagings of 5 L or less, Special Provision A197 may apply according to IATA Dangerous Goods Regulation.

UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TERBUTHYLAZINE), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) no. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Regulation (EU) n. 1107/2009

Regulation (EU) n. 2021/643 (ATP 16 CLP)

Regulation (EU) n. 2021/849 (ATP 17 CLP)

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Directive 2012/18/EU

Named dangerous substances - ANNEX I Not applicable

(Contd. on page 10)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

print: 22.05.2023

rev n°: 4 (replaces version 3)

Revision date: 22.05.2023

Trade name: CLICK PRO

(Contd. of page 9)

Seveso category E1 Hazardous to the Aquatic Environment
Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

In case of emergency, contact your local Poison Centre through Global Health Observatory data on http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/

A list of European Poison Centres is available on http://ec.europa.eu/growth/sectors/chemicals/poison-centres/index_en.htm

Classification according to Regulation (EC) No 1272/2008

H302 - H400: test on mixture

H361d - H373 - H410: calculation method

Department issuing data specification sheet: Product safety department.

Contact:

Product safety department

SIPCAM OXON

H statements of components:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

EC 50: Effective concentration, 50 percent

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Sources

Document elaborated on the basis of the data required by the EC Regulation 1107/2009 (plant protection products) and in accordance with the EC Regulation 878/2020.